
GRN008979 Treatment of Laying Hens (EN)

© Copyright Slavko Pecanac (Greenacle)

All rights reserved. No part of this publication may be reproduced, distributed, or transmitted in any form or by any means, including photocopying, recording, or other electronic or mechanical methods, without the prior written permission of the publisher, except in the case of brief quotations embodied in critical reviews and certain other noncommercial uses permitted by copyright law. For permission requests, write to the publisher, addressed "Attention: Permissions Coordinator," at the address below.

via e-mail

info@greenacle.com

Please see "[Greenacle Copyright, Disclaimer and Warranty](#)" document on our page for full details on copyrights, disclaimer, warranties and document classification/distribution rights.

Security Classification	EXTERNAL: Information can be shared with third parties but should not be published on the public media or freely distributed to the public without explicit written permission of the document issuer/owner.
Distribution List	

[Click here](#) to see Greenacle Company details.

For more information about this and other products please see our [library for additional documentation](#).

Caution

It is important to reduce food of the hens for 10% do not unreasonably put on weight.

When using liquid concentrate ALWAYS add concentrate in the water and not vice versa!

When using liquid concentrate it must be used within 48 hours, or results might be lost!

Expected results

- Increase the production of eggs.
- Laying hens starts laying sooner and they lay for a longer time.
- The wastage of eggs is reduced, due to the harder shell.
- Eggs are better quality, more beta carotene, less cholesterol, more egg yolk, a better ratio between omega 3 and 6.
- Reduce the mortality of hens, especially when in the 4th quarter of tolerability.
- Reduced ammonia in the area by 50%.
- Improve the conversion and saving food right from the start feeding.

Dosing

It can be dosed in the water or in the food:

Dosing through water 1:2.500 (1 ml of liquid concentrate in 2.500 ml of water)

Dosing through food 600 g of dry concentrate in 1.000 kg of food.

Our full product line is certified ORGANIC under the European Community regulations, which governs organic production, labeling and control of animal and human feedstuffs. All of our products can be sold and used in the eco-systems of agriculture in all member states of the European Community without special permission.